



**Protocol DNA Purification
Plasmid from Bacteria
with ⁴ward-NA® puriSorb®**

- ⁴ward-NA® puriColumns -

Cat.No. 4w05.010

Cat.No. 4w05.050

Cat. No. 4w05.250

Version 1.3

For research use only

Principle

4ward-NA® DNA purification kits (Plasmid from Bacteria) are designed for extraction and purification of Plasmid DNA from bacteria (high yield/ low yield). **4ward-NA® puriSorb® technology** allows the purification in one single step after lysis. Impurities are bound and the purified DNA is recovered in the eluate. The excellent purity of the DNA allows immediate use in all common downstream applications (e.g. PCR).

Kit contents

The kit contains all necessary reagents for lysis and DNA purification.

Component	Art. No. 4w05.010	Art. No. 4w05.050	Art. No. 4w05.250
Activation Solution (ActivS)	4.5 mL	20.5 mL	100 mL
Buffer 4wE (P)	1.5 mL	7.5 mL	38 mL
Protease	0.1 mL	0.3 mL	1.5 mL
RNase A	0.2 mL	1.0 mL	4.4 mL
Lysozyme (25 mg/mL)*	3.0 mg*	5.0 mg*	23.0 mg*
4ward-NA® puriColumns	10	50	250
Waste Tubes	10	50	250
DNA Tubes	10	50	250

*add H₂O

Storage Conditions

During shipment all kit components are stable at room temperature. After arrival, store chemicals at **+2 °C to +8 °C**. All other components can be stored at room temperature. Please see expiration date of the kit.

Safety Information

Protease	Danger	H315, H318, H334, H335 P261, P280, P342+P311, P305+P351+P338
----------	--------	---

Hazard Statements

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Precautionary Statements

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

When working with chemicals, always wear a suitable lab coat, disposable gloves and protective goggles. For more information, please contact us for the appropriate material safety data sheets (MSDS).

Before starting

Activation of puriSorb® in 4ward-NA® puriColumns

A1	Add 350 µL Activation Solution onto each well of a 4ward-NA® puriColumn . Incubate for at least 5 min at room temperature. Centrifuge at <u>max. 350 × g</u> for 1 min to remove excess Activation Solution. Discard the Waste Tube.
A2	The activated 4ward-NA® puriColumn is ready for purification.

- **Preheat a thermomixer to 96 °C.**
- **Dissolve Lysozyme**
Add **0.12 mL** (4w03.010), **0.2 mL** (4w03.050) or **0.92 mL** (4w03.250) of sterile water to the lyophilized lysozyme (final concentration is **25 mg/mL**).

Protocol

Lysis of Bacteria (Plasmid) for DNA purification

1. Transfer **up to 1 mL of bacterial culture** to a **1.5 mL or 2.0 mL reaction tube**.
Centrifuge (**6,000 × g, 1 min**) and remove carefully the supernatant.
2. Add **130 µL Buffer 4wE (P)**, **5 µL Protease** and **3 µL Lysozyme** to the cell pellet. Resuspend cells and incubate for **5 min at room temperature**.
3. Transfer the reaction tube to a preheated thermomixer (**96 °C**) and incubate for **10 min**. Let the lysate cool down to room temperature.
4. Add **15 µL RNase A** to each lysate. Mix gently. Incubate for **3 min at room temperature**

Purification of DNA using 4ward-NA® puriSorb® (ONE-STEP)

P1	Transfer between 60 µL and 120 µL of the lysate to an activated 4ward-NA® puriColumn . Incubate for at least 3 min and centrifuge at <u>max. 700 × g</u> for 1 min .
	The eluate contains the ready-to-use purified DNA.

Troubleshooting, FAQ and Special Applications

Please contact us for further information about our innovative DNA Purification System using the **4ward-NA® puriSorb® technology**.

Contact Information

Web: www.4ward-na.com
Email: service@4ward-na.com
Tel: +49 175 948 33 46

Ordering Information and Prices

For ordering information and prices please contact: sales@4ward-na.com.

